

# Technical Data Sheet

CODE 12611

## VORTICE 150/6" P

Wall/window axial fans



### Certifications




CB TEST CERTIFICATE

## Technical and performance data

Frequency (Hz)	50-60	Ø Discharge hole (mm)	150
Insulation class	II°	Voltage (V)	220-240
IP	X4	Weight (Kg)	2,07
Max absorbed current (A)	0,10	Max airflow - extract (l/s)	65,3
Max absorbed power (W)	18	Max airflow - extract (m3/h)	235
Max absorbed Power at 60 Hz (W)	18	Max airflow (m³/h)	235
Max ambient temperature for continuous operation (°C)	50	RPM	1340
Max room temperature for continuous operation at 60 Hz (°C)	50	Sound pressure Lp [dB (A)] at 3 m	37,5

## Dimensions



Ø hole through the glass	185/190
Ø hole through the wall	185/190
Size A (mm)	215
Size B (mm)	218
Size C (mm)	31
Size D (mm)	97,5
Size E (mm)	2/38

### PER INFORMAZIONI / FOR INFORMATION

#### ITALY

Pre Sales:  
prevendita@vortice-italy.com  
After Sales:  
postvendita@vortice-italy.com

#### UNITED KINGDOM & REP. OF

IRELAND  
Sales Dept:  
sales@vortice.ltd.uk  
Technical Dept:  
technical@vortice.ltd.uk

#### OTHER COUNTRIES

Sales Dept:  
export@vortice-italy.com  
After Sales:  
after-sales@vortice-italy.com

# Technical Data Sheet

CODE 12611

## VORTICE 150/6" P



Wall/window axial fans




## Description

- Model designed for window/wall mounted installation.
- Version with built-in switch operated by pullcord mounted to edge of grille.
- Material: UV resistant ABS plastic (prevents ageing caused by exposure to sunlight).
- Nominal diameter 150 mm.
- Motor protected against thermal overload, with shaft turning in self-lubricating bushings, coupled to screw type thermoplastic impeller with wing profile blades.

## Curves



## Accessories



**KIT TE 150/6"**  
**(TORRETTA)**

Code 13001




**KIT MU (MURO)**

Code 13018



**KIT VV 150/6"**  
**(DOPPI VETRI)**

Code 13021



**KIT TC 150/6"**  
**(TETTO CON**  
**CONDOTTO)**

Code 13027



**KIT FF 150/6"**  
**(DOPPIA**  
**FINESTRA)**

Code 13024

PER INFORMAZIONI / FOR INFORMATION

ITALY

UNITED KINGDOM & REP. OF  
IRELAND

OTHER COUNTRIES

Pre Sales:  
prevendita@vortice-italy.com  
After Sales:  
postvendita@vortice-italy.com

Sales Dept:  
sales@vortice.ltd.uk  
Technical Dept:  
technical@vortice.ltd.uk

Sales Dept:  
export@vortice-italy.com  
After Sales:  
after-sales@vortice-italy.com